




Taranaki Network

Population health and wellbeing





- 1 Pinnacle's framework
- 2 Health & wellbeing information



Foreward

As our communities change, so must the way we plan for health and wellbeing. Pinnacle's vision of "Kia hauora te katoa, kia puaawai te katoa" (everyone healthy, everyone thriving) reflects our commitment to equity, Māori, and the communities we serve.

Primary care is under pressure. Growth, demographic shifts, changing service use and workforce challenges are reshaping how care is delivered. Meeting these needs requires strategic, data-informed, and collaborative planning.

These population health reports provide practical frameworks, projections and insights to help guide decisions about services and workforce. Since our first report in 2007, Pinnacle has listened and adapted, including developing Primary Health Care Limited, introducing the Health Care Home model and extended care teams to strengthen general practice.

I encourage you to use these insights to support your mahi, spark new conversations and strengthen collaboration so our services remain fit for the future.

Nō reira, tēnā koutou, tēnā koutou, tēnā tātou katoa.

Justin Butcher
Kaiwhakatere | Chief Executive Officer

September 2025

Pinnacle Incorporated PO Box 983 Hamilton 3240 www.pinnacle.co.nz





Sections 1-3

Pinnacle's population health and wellbeing	framework
Our approach to population health and wellbeing	8
Population health priorities and measurement	9
Integrated model of health and wellbeing	11
Primary care clinicians and population health	12
Population health and public health	13
2 Health and wellbeing: Summary report	
Health and wellbeing in Taranaki	16
About our Taranaki Network	17
Pinnacle identified risks and issues	18
People now and future	19
Community identified issues	20
Te Punanga Ora IMPB identified priorities	21
Determinants of health and wellbeing	22
Health status and wellbeing measures	23
Key health system risks and pressures	24



3 Population change and health service use

<u>Summary - population change</u>	26
<u>Summary - health service use</u>	27
The estimated resident population in 2023	28
Current and projected population 2023-2043	29
The Pinnacle enrolled population in 2023/24	31
Medical consults in general practice, 2023/24	32
A note on capitation	33
Use of the emergency department for triage 4 and 5 coded visits	34
Ambulatory sensitive hospitalisation (ASH) in 2023/24	35
Projected Pinnacle enrolled population and service use in 2043	36
Rural residents: Pinnacle enrolled population in 2023/24	38
Rural residents: Medical service use in 2023/24	39









Our population health and wellbeing framework



Our approach to population health and wellbeing

Our purpose

Pinnacle recognises that a strong health system centres around equitable, high quality primary care and community services that are continually developing and evolving to meet local need.

We play our part by ensuring the right resources and capacity are in place so our enrolled population and our network can thrive. We continue to adopt flexible and responsive approaches in engaging with individuals, whānau and communities, based on reciprocity, and respect for diversity and difference.

Population health & community wellbeing

Population health & community wellbeing remains central to everything we do. By fostering empowerment and community engagement, we seek to address not only immediate health concerns but also create sustainable improvements in the long-term wellbeing of our community members.

Our commitment extends beyond traditional approaches, encompassing programmes and outreach activities that promote preventive measures, education, and social support.

Four key aspects:

- We will continue to work alongside the community and iwi as they have been critical in determining the differing needs of community members.
- We will share data and tools so that services can be commissioned to reduce the equity gap.
- We will work as part of a community of providers to address population health and community wellbeing, fostering collaboration across the health system.
- We will continue to be innovative in our service delivery to meet the evolving needs of the community.



Population health priorities and measurement

Contents page

Defining population health & wellbeing

Population health focuses on the health and well-being of entire communities by addressing health outcomes, including disparities influenced by socio-economic factors beyond the influence of primary care. Acknowledging inequities affecting Māori, Pinnacle upholds te Tiriti o Waitangi through planning, resource allocation and frontline services.



Equity and quality continue to be driving forces behind service delivery and our commitment to improving health and wellbeing. Health equity is at the core of each priority. The purpose of each priority therefore builds to address the disparities in health outcomes and access to care.

The network provides equitable and timely access to health care services

People have equitable and timely access to general practice, and extended general practice health care, when they need it.

How we will measure this:

- Tracking closed books in general practice (at the district level) and for rural and urban areas
- A national target of 80% of patients to see a primary care clinician within 5 days (target will take effect 1/7/2026 with data definitions to be confirmed)

Community mental health and wellbeing services are interconnected and available

People have access to a range of community based mental health and wellbeing supports, with a focus on equitable early intervention and culturally responsive care.

How we will measure this:

- Health Improvement Practitioners (HIPs) provide early intervention in general practice
- Targeted youth and adult populations are accessing early intervention in general practice

3

Interprofessional care is available for the prevention and management of chronic conditions

People with a chronic condition, or needing prevention support, receive interprofessional care in the community, enabling self-management and achievement of health and wellbeing aspirations.

How we will measure this:

- People with diabetes (aged 15-74 years) have good glycaemic control (HbA1c <53mmol/mol)
- People with diabetes (aged 15-74 years) have been prescribed best-practice medication, either SGLT2i or GLP1RA medication
- People with asthma (12+ years) have been dispensed best practice medication (dispensed an inhaled corticosteroid (ICS) alongside a Short-Acting Beta-Agonist (SABA)
- People with cardiovascular disease (CVD) have been prescribed best-practice medication (triple therapy)

4

Pēpi and tamariki have a healthy start to life

All pēpi and tamariki have equitable access to prevention and acute health care in the community, enabling a good start to life and setting them up for a healthy future.

How we will measure this:

- Children are fully immunised against preventable disease at 24 months of age
- There is equity in medical service use for children in general practice
- Ambulatory sensitive hospitalisations (ASH) decrease over time

5

Eligible people have access to national screening programmes

People can access screening and prevention programmes they are eligible for. These initiatives improve population health by reducing the burden of disease, improving health outcomes, and promoting equity in health and wellbeing.

How we will measure this:

- People aged 65+ years access the annual influenza immunisation
- Current smokers are offered brief advice or cessation support

Integrated model of health and wellbeing

<u>Contents page</u>

Health and wellbeing are shaped by the conditions in which people are born, grow, live their daily lives, work and age. These determinants are influenced by the distribution of power, resources, and policies at national and local levels. Factors such as income, housing, education, cultural identity and whānau support can either protect or harm health and wellbeing.

Health & Social Care



Pinnacle model adapted from: Health & Disability System Review (2020), Te Whare Tapa Whā (1984), Pan-Pacific Fonefale model (1984), Dahlgren & Whitehead (1998, 2021).



health literacy)



Food security



Whānau support



Social protection



Job status/ income



Working conditions



Community safety



Early childhood education



Housing + amenities



Non-discrimination

While environmental and personal factors also affect individual health, they interact with these broader social and economic influences. Personal factors include genetic traits, lifestyle behaviours, and cultural and social connections. Strengthening individual health and addressing inequalities are crucial for improving overall well-being.

Access to primary healthcare plays a vital role in maintaining health, as health professionals provide preventive care, manage chronic conditions, and treat acute health issues. Ensuring equitable access to care helps reduce health disparities, improves long-term health outcomes, and reduces pressure on the wider healthcare system. Investing in primary care strengthens overall health and well-being across the population.

Socio-economic determinants have a significant impact on health and wellbeing

50%Socio-economic

determinants



of the factors that influence a person's health and wellbeing are linked to socio-economic determinants, such as income, education, employment, housing, and access to social support.

30%
Health
behaviours



of a person's health and wellbeing is influenced by health behaviours, such as diet, physical activity, smoking, and alcohol use.

20%

Health care services



about 20% of a person's health and wellbeing is influenced by access to and quality of health care services, including primary care.

The contribution of primary care clinicians to population health and wellbeing outcomes

Clinicians are familiar with working with individuals to connect and understand their concerns, organise special tests and create a differential diagnosis list, organise treatment and monitor outcomes to check that the person improves. In a similar way, general practice teams play a vital role in advancing the health of the whole of their enrolled population, and the wider communities they serve.

Population health can be defined as the way practices approach understanding their whole population, explore issues, understand causes, and work with others to support actions that improve outcomes at a population level.

The differences between population health and public health <u>Contents page</u>

Both approaches are concerned with improving the health of communities, but they focus on slightly different aspects in approach and scope. However, the two are now

Regarding scope, public health focuses on safeguarding the health of the overall population, through Government policy, legislative and regulatory requirements. There is a focus on creating the conditions for health, including regulating health-enhancing behaviour (e.g. smoking cessation). Population health focuses on the health outcomes and distribution of outcomes between and within defined population groups.

Example: Childhood immunisation

relatively intertwined in Aotearoa.

Public health, front line general practice and population health approaches working together.

While immunisation programmes can be considered public health activities, the majority of childhood immunisations are delivered in primary care settings.

Maintaining high coverage rates requires multiple stakeholders. The table shows how the roles of public health, front line general practice (and extended general practice) and population health work together in the childhood immunisation space.



Set policies for a safer environment Looks after relevant legislation, design of any national programmes, monitoring against government targets Media campaigns – including health promotion and protection (core public health activities). Education is a part of promotion Disease control & prevention (tracking and managing outbreaks) Build and maintain relationships with patients/whānau over time Staff plan pre-calls and re-calls to reach the target population enrolled with their practice Clinicians answer queries and concerns direct from parents/caregivers (it's an ongoing conversation) Registered vaccinators administer the vaccines and record in the practice management system Disease control & prevention (tracking and managing outbreaks) Build and maintain relationships with patients/whānau over time Staff plan pre-calls and re-calls to reach the target population enrolled with their practice Clinicians answer queries and concerns direct from parents/caregivers (it's an ongoing conversation) Looks at how to improve outcomes for populations Looks at how to improve outcomes for populations Looks at determinants of in addressing change Integrates demography an health data into service planning	ic S nealth







Taranaki health and wellbeing summary



Health and wellbeing in Taranaki District

Contents page

The Pae Ora (Healthy Futures) Act 2022

The Act reformed the country's health system. It replaced the New Zealand Public Health and Disability Act 2000 and established a more centralised and equity-focused healthcare system.

The Act aims to create a more cohesive, efficient, and equitable health system for all New Zealanders. Some key aspects of the Act include:

- Health system restructuring, including creating Te Whatu Ora (from District Health Boards) to manage hospital and specialist services at a national level.
- A greater emphasis on reducing health disparities, particularly for Māori, Pacific peoples, and rural communities.
- A renewed population health and wellbeing emphasis.

The rohe and this report

The Te Whatu Ora Taranaki District is part of the Te Manawa Taki region, which is one of four regions established under the health reforms to improve coordination and delivery of health care. The Pinnacle Taranaki network area covers the same geographical area.

Other organisations have released health and wellbeing information relating to the Te Manawa Taki region, including Manatū Hauora, Te Whatu Ora, Te Aka Whai Ora, the Te Punanga Ora Iwi Māori Partnership Board (IMPB) and Hauora Taiwhenua.



Selected information is summarised here. This report will support primary care decision makers to design equitable health services that respond to evidence.

This report covers selected information on:

- The Pinnacle network
- Determinants of health and wellbeing
- Health status and wellbeing measures
- Population now and in the future
- Community identified issues
- Pinnacle identified risks and issues
- Key health system risks and pressures
- Iwi Māori Partnership Board identified issues

Te Punanga Ora Iwi Māori Partnership Board

Te Punanga Ora IMPB is one of six in the rohe that plays a role in the shaping of health services. They represent local Māori perspectives on the needs and aspiration of Māori in relation to hauora Māori outcomes, ensuring Te Whatu Ora knows and understands their priorities.

About the Taranaki Network

Kia hauora te katoa, kia puawai te katoa (Everyone healthy, everyone thriving)

The Pinnacle network oversees the healthcare of nearly half a million people. Our service provision reaches across the Te Whatu Ora districts of Tairāwhiti, Taranaki, Lakes and Waikato. Rural communities feature heavily in our geography. Responding to the needs of rural people, and clinicians, is central to our work.

Taranaki Snapshot (March 2025)

	Taranaki
Practices	28
Total patients	120,353
Māori patients	23,215
< 14 yrs	18.1%
65+ yrs	20.2%

Enrolled Patients



Practice Workforce




GP/patient ratio






PinnacleTaranaki, enrolment growth



Non-urgent ED visits per 1,000 patients



Consults delivered in each calendar year



Includes medical consults and other claim types

Patients with a Community Services Card 28%

Patients resident in quintile 4 or 5 45%

Contents page

PINNACLE identified RISKS & ISSUES

01 Workforce sustainability

The GP and nurse workforce are ageing and experiencing record levels of burnout, and there are workforce shortages.

02 Increased health complexity

We have an ageing population - at the national level we're expected to have 1.2 million people aged over 65 by 2034. Rural, remote and urban issues differ.

03 Changing models of care

Recent changes in the landscape, including events such as COVID-19, have seen the implementation of digital health platforms across the sector.

04 Health inequities

Māori do not live as long as people of other ethnicities.

In general, Māori are less likely to see a GP or visit after-hours or have their needs met and prescriptions filled.

Funding models & strategy

Primary care capitation funding and ACC payment funding are insufficient. The models have not been updated for a long time. Costs are increasing and there needs to be a better funding model.

06 Fragmented IT systems

Providers have no (or limited) visibility of people's health records when they are not enrolled in their region. Regional platforms are fragmented.

07 Integrating siloed workforces

Primary care has limited integration with community & secondary care providers.

People Now & future



of New Zealand's population live in the Te Whatu Ora Taranaki District

Age and ethnicity are population characteristics that drive need, alongside continued health inequities.



The rate of growth differs across all districts in the rohe, being highest in the Waikato.



19%

are 65+ years now



65+ years in 2043

Total responses >100% (Census 2023)

Ethnicity in Taranaki

22%

Māori

85%

Other

3%

Pacific

6%

Asian

Population projections

2023 126 thousand

2043

Population growth is made up of natural increase (births minus deaths), interethnic mobility & migration - from overseas & from other parts of Aotearoa.

Māori in Taranaki

27,411

live in the rohe now



25 years



7%

Māori are aged 65+

The Māori population has a young age structure

Greater proportions of the Māori populations are younger (as are Asian and Pacific).

In comparison, a larger proportion of the European & Other population are aged 65 years or older.

Projected population change at ages 65+ years

Māori in 2023

23% non-Māori in 2023

increasing to



increasing to



32%

in 2043

Where people live

Urban compared to Rural

61%

Māori

70% non-Māori 30%



Community **Identifed Issues**



Te Punanga Ora summary

From community engagement processes by Te Whatu Ora Te Manawa Taki and Te Punanga Ora Iwi Māori Partnership Board



Enrolment

Being able to enrol with a practice & make appointments to see the GP or nurse when needed



Geographic disadvantage

People living in South Taranaki and other rural areas live greater distances from health services



Rongoā & Te Reo

Increase funding for and access to rongoā Māori; more integration of te reo



Chronic conditions

Better support for people with long term conditions



Mental health

Being able to access a range of mental health care services in the community, when needed



Costs to patients

The cost of care & transport to get there create a barrier for many



Māori workforce

Growth the Maori workforce to contribute to more culturally aware care; some consumers may prefer this



Afterhours care

Availabilty (closer to home), cost & responsive health care services



Cultural safety

People reported a lack of awareness & understanding of cultural needs in the delivery of care



The socioeconomic drivers of inequity

Te Punanga Ora IMPB: Identified Priorities

Primary & Community Care



Contents page

Rongoā

More investment into Kaupapa Māori and Mātauranga approaches to promote, access and deliver Rongoā as a form of traditional healing.

Primary mental health and addictions

Develop and deliver specific education for children to build and strengthen their individual **resilience**. There are concerns that response times to crisis situations are too slow, there should be investment in educating whānau about how to deal with crisis situations. Increase in resourcing community-based models to address primary mental health and addiction

Maternal and child health

Strengthen focus of service design on Hapūtanga journey: Strengthen the relationships between midwives, Well Child Tamariki Ora and GPs.

Workforce: Increase Māori midwifery workforce as Hapū māmā are unable to access a midwife due to limited Māori midwives and address the funding model.

Before school checks: work with WCTO when there is a failed hearing and needs referral to **Audiologist** to advocate for reduced wait times.

For **immunisation**: Invest and prioritise pop-up vaccination clinics around the region.

Oral / dental health

Access is a major priority. Dental health requires ongoing education and addressing affordability issues by making care more accessible. Rangatahi are entitled to care – but the focus is on schools and not on those no longer at school. More awareness is needed for those rangatahi.

NASC / home care

The Home support service model is inflexible and are not considered to meet the need of whānau now and need to change with a growing number of Kaumātua. Tangata whaikaha: There is a need to actively advocate for more suitable services whānau which includes addressing long term mobility issues.

Primary care - GP Services

Explore different **models of primary care** that ensure access and better options for whānau (including after-hours).

Models to explore include community health hubs (one stop shop); a dual approach of nurse practitioner led health clinics with telehealth; sole nurse led care with GP consults utilising medical students in their practicum year. These proposed solutions will help to help mitigate the shortage of GPs and wait times for appointments, while reducing use of secondary health/specialists.

Determinants of Health & Wellbeing

The vision of pae ora is where everyone lives a life of wellness, and all communities actively foster health and wellbeing. Success is dependent on collective effort across sectors, including central and local government and non-government organisations.

Housing in Taranaki

HOUSEHOLD CROWDING

Requiring at least 1+ bedroom

Māori >>> 15.7%

non-Māori 🐎



HOUSEHOLD HEATING

Living in households where there is no source of heating



Māori **33** 2.9%

non-Māori





DAMP HOUSING

of Māori lived in a home 39.8% that was sometimes or always damp; compared to 25.7% of non-Māori

MOULD IS PRESENT

of Māori lived in a house **33.4%** that sometimes or always had mould; compared to 22.8% of non-Māori

HOME OWNERSHIP

33.6%

of Māori owned or partly owned their own home, compared 45.1% of non-Māori

2018 Census age-standardised



29% Taranaki

35% Tairawhiti, Lakes, Waikato

Adults eating 3+ serves of fruit & vegetables each day

Towards Equity

Differences in outcomes persist, particularly for Māori and Pasifika.

Addressing the determinants of health requires planning, investment & collaboration between many agencies.

Smoking and vaping in Te Manawa Taki

NZ Health Survey 23/24

8.8% Are current smokers

Adults that live in high deprivation areas are more likely to smoke



Ever tried 29.0% vaping

Daily vaper only

11.1%

Quitting has profound benefits. After a year, the risk of heart attack drops to half that of a smoker. Over time, risks for conditions like heart disease and cancers decrease, and life expectancy improves dramatically.

Alcohol Use



22.5% of adults

Engaged in heavy episodic drinking at least monthly (past-year drinkers)

adults drink heavily



Most people (more than 4 in 5) do not know that drinking alcohol causes cancer (Royal Society Te Aparanga) 22 NZ Health Survey 23/24

Taranaki Health Status & Wellbeing Measures



Māori life expectancy



non-Māori life expectancy

Te Manawa Taki

10.5%

Est. adults **96,000**

Report high or very high

Psychological distress

in the 4 weeks before the survey

3.6%

Est. adults **32,000**

Loneliness

Said they were lonely most or all of the time (in the last 4 weeks)

26.7%

Est. adults **247,000**

People were of a

Healthy weight

Measured as having a BMI of 18.5-24.9)

36.0%

Est. adults **334,000**

Of adults had a measured BMI of 30+

Obesity

10.7%

Est. adults **97,000**

Unmet need for GP - cost

Had a medical problem but did not visit a GP because of cost

22.5%

Est. adults **203,000**

Unmet need for GP - wait time

Had a medical problem but did not visit - the wait time was too long

Cardiovascular Health



2.2%

Stroke prevalence (estimated 20,000 adults)

4.4%

Prevalence of Ischaemic heart disease (est. 40,000 adults)

18.7%

Medicated for high blood pressure (est. 170,000 adults)







Physical Activity (adults 15+ yrs)

50.1%

are **physically active** (at least 30 minutes of walking, five days per week)

35.2%

are considered to have insufficient physical activity



Health System Risks & Pressures



Workforce shortages

Medical, nursing, allied health & support roles

Training, recruitment and retention are key issues across the health system - tertiary, secondary and primary care.



Health equity

Culturally responsive & equitable care

There is strong evidence of inequity (historic and continuing) across the health system. Culturally responsive care has been identified as critical to enable change.



Access to health care

03

04

05

Unmet need, the cost of care, afterhours care

Evidence shows there are growing issues with access to health care - primary care and secondary care. Access to afterhours care is also a high priority nationally.



Rural health There are health inequalities for rural residents

Issues include the workforce crisis, equitable access & outcomes for rural residents, rural funding, services for rural Māori, and an older population (compared to urban areas)



Funding models

Sustainable & equitable funding models are needed

Based around inequitable resource allocation, underfunding, prioritising secondary over primary care, workforce impacts and equity gaps.



Health complexity

Health complexity is increasing

Growing medical complexity across communities highlights the urgent need for funding and workforce that aligns with the realities of patient care to ensure the health system can meet evolving demands



Technology

IT systems & infrastructure are not fit for purpose

Across both secondary and primary care there are longstanding issues with outdated and fragmented IT systems and infrastructure




Secondary backlog Delays in accessing secondary care are growing

There are a number of reasons, including; increased demand, resource constraints, COVID-19 impacts; workforce issues; equity concerns and reform pressures



Population change and health service use



Summary: Population change

Contents page

Population growth

The population in the area served by the Pinnacle network is growing and changing, bringing implications for health service planning in the future.

Structural & numerical change

Numerical population growth masks underlying ethnic differences in age structural change – these have critical implications for health care delivery that meets life-cycle need.

Change is not linear over time

Population change is not linear. It is influenced by a complex interplay of factors such as migration, birth and death rates, and policy changes, leading to periods of growth, stagnation, or decline across the region.

Rural health disparities remain

Established rural health disparities will persist into the future. Planning for the challenges such as limited access to healthcare services and geographic isolation are key to service planning.

Core services and equity matter

No matter the projected population changes, core primary care services must continue to be delivered to the entire population. This also means taking into account what equity for Māori, Pacific and rural residents mean for the mix and level of service provision.

Longer term horizon uncertainty

Population growth comes from a mix of natural increase, immigration and interregional migration. These are impacted by things like immigration policy. Best practice is to use 5-10 year projections for operational planning, and longer-term ones for strategic planning.

Ageing is complex and has more impacts than you might think

At a simplistic level the impacts of population ageing include a larger pool of middle aged and older people, consuming a rising proportion of the services provided across the health sector. The situation, however, is more complex and multifaceted. Practical implications may be a mix of doing more of some of what we are currently doing or doing new things in new ways.

Summary: Health service use

Contents page

The link with population change

A growing and changing population has implications for service use. Over time chronic conditions are increasing (and demand for care) at the same time that investment in the best start to life, and for optimal youth health are a necessity.

+ 37,306 medical consults in 2043

The network may need to provide an extra 37,000 medical consults (if 2023 rates remain). However, growth and decline in both numbers of people enrolled and the number of medical consults are not uniformly spread by ethnicity and age.

Managing chronic conditions is critical

More older people needing medical care is the key driver for increased consultations in 2043. Given increasing numbers with chronic conditions, the ability of people to better manage their health and wellbeing will be critical.

Primary care is changing in response

Additional clinical and non-clinical roles are becoming part of general practice teams, integrated into the general practice environment. These roles may be either employed by an individual practice (or across practices) or the PHO.

Rural health care disparities

Rural health disparities are likely to persist into the future due to ongoing challenges such as limited access to healthcare services, workforce shortages, and geographic isolation.

The challenge of maintaining all life cycle health services

The full life cycle range of services must continue to be delivered to the entire population, also considering what equity for Māori, Pacific and other populations mean for the mix of service provision and how and where it is delivered.

Interacting issues make for a complex planning environment

There are many contextual issues to be mindful of, including chronic conditions prevalence, workforce capacity, longstanding access and inequalities and ongoing limited financial resources. These interacting issues make for a complex planning environment.

The 2023 estimated resident population (ERP) in Taranaki

Ethnicity and age summary


Table 1: ERP, by age and ethnicity, 2023

	Asian	Māori	Other	Pacific	Total
00-04	720	2,820	4,260	150	7,950
05-14	1,160	5,860	10,170	450	17,640
15-24	730	5,020	8,100	400	14,250
25-44	2,500	6,740	21,520	560	31,320
45-64	1,250	5,170	25,840	400	32,660
65-84	400	1,900	18,960	160	21,420
85+	50	140	2,600	10	2,800
Total	6,810	27,650	91,450	2,130	128,040

Key Points

- Just over 128,000 people were resident in Taranaki in 2023.
- Overall, 22% of people were Māori, with 2% and 5% for Pacific people and Asian respectively.
- Figure 1 shows the difference in the age structure by ethnicity, with a significant proportion of young people (<25 years) being Māori.
- The older age structure of the Other population (mostly Pākehā) is also very clear.

Figure 1: ERP proportion by ethnicity and age group, 2023



Current and projected population in Taranaki: 2023 to 2043

Contents page

Key changes: Numbers and proportion





- Overall change: Numerical and structural ageing differs between ethnic groups over the 20 year time period.
- Older people: Numerical increase for both age groups. The number of 85+ (the 'oldest-old') of Māori will double (compared to now), with increasing numbers of older Asian, Pacific and Other people.
- Middle aged people (45-64 years): Numerical increase (+5%). The proportion of Other people in this age group falls while the proportion of Māori and Asian grows.
- Young people (05-14 and 15-24 years): Numerically a small decline, but proportion of Māori and Asian increase significantly.
- The first years of life: Numerically fewer young children overall (-9%). A higher proportion will be Māori and Asian.



Ethnicity and age summary

To look at service use averages we included only those people who had been enrolled in the network for all four quarters.


Table 2: Enrolled people, by ethnicity and age group

	Asian	Māori	Other	Pacific	Total
00-04	460	1,703	3,441	110	5,714
05-14	1,159	4,609	9,740	289	15,797
15-24	443	3,373	8,712	249	12,777
25-44	2,182	5,055	18,984	484	26,705
45-64	1,070	4,294	23,653	332	29,349
65-84	284	1,725	18,806	97	20,912
85+	25	89	2,675	4	2,793
Total	5,623	20,848	86,011	1,565	114,047

Key Points

- 114, 047 people were enrolled for the entire 2023/24 year.
- 5% were of Asian ethnicity, 18%
 Māori, 1% Pacific People and
 75% Other (majority Pākehā).
- Like the resident population, the Pinnacle enrolled population shows very different age structures by ethnicity (Fig. 4).
- The network population is never static, with people joining and leaving the network - through births, deaths, immigration and internal migration or changing PHOs.

Figure 4: Proportion by ethnicity and age group



All network practices

00-04

05-14

Key Points

- 298,790 medical consults were recorded for the 114,047 people enrolled in all four quarters of this year.
- The annual average use of medical consult services differs by age, with higher service use for those aged 0-4 years, 65-84 and 85+ years across all ethnic groups.
- Those aged 85+ years were a numerically smaller group (n=2,793), but had the highest average use, ranging from 4.8 for those recorded as Asian to 5.7 for Others. Note there were a small number of Pacific people aged 85+ years (#)

Figure 5: Annual average use of medical consults, by ethnicity and age group, 2023/24


25-44


45-64

65-84

85+

15-24





Data note: These are medical consults. Most health surveys, including the NZ Health Survey and the General Practice Patient Experience Survey, focus on general and preventative healthcare rather than accident-related visits.

A note on capitation Medical consults in general practice

Capitation payments

General practices receive capitation payments (annual, per-patient subsidies) through PHOs to support the delivery of primary care services. These payments are primarily determined by the age and sex of enrolled patients.

This capitation model has faced criticism for not accounting for factors like ethnicity, socioeconomic deprivation, and comorbidities. A 2022 review by the Sapere Group found that high-need practices would require funding increases between 34% and 231% to meet patient needs adequately. The report highlighted that the current model systematically underfunds services for Māori and Pacific populations, embedding historical inequities.

Capitation payment "unders and overs"

"Unders and overs" refer to the financial risks and benefits practices face when the actual cost of providing care differs from the funding received for an enrolled patient.

Unders (underfunding)

- High-need patients may cost more than the capitation provides. For example,
 patients with complex chronic conditions, mental health needs, or those facing social
 barriers may require more time and resources than the funding allocated for their
 age and sex category.
- Ethnicity, deprivation, and comorbidity are not fully factored in. While there are some adjustments for high-needs populations (e.g. CSC holders, Māori, Pacific peoples), many argue these are not sufficient to cover the true cost of care.
- Unders lead to pressure on services, including longer wait times, rushed consults, or reduced service scope, contributing to equity gaps and clincian burnout.

Overs (overfunding)

- Low-need patients may cost less than the capitation payment. For example, a healthy adult who rarely visits their GP still generates a full capitation payment. In such cases, the practice retains the difference between funding and cost.
- This "cross-subsidises" care for higher-need patients, which is part of the intent of capitation. But if too many patients are high-need and not adequately funded, the overs from low-need patients won't be enough to balance the books.

Capitation's success depends on the mix of patients. Practices with a balanced or lowneed population may do well while those with high need or underserved groups face sustainability challenges.

The "unders and overs" in capitation highlight the tension between population-based funding and the reality of individual and community health needs.

People enrolled for all of 2023/24

05-14

Key Points

00-04

- In general, ED use was higher for the youngest and oldest people.
- The highest rate within each ethnic group was for children aged 00-04 years.
- This result is for the 2023/24 year only, and results may move around year to year due to a number of factors. This may include appointment availability in general practice, the cost of care and when the acute event occurs (i.e. on the weekend).

Figure 6: ED visits coded as triage 4 and 5 non-ACC, rate per 1,000 enrolled people


25-44


45-64

65-84

85+

15-24






Ambulatory sensitive hospitalisations (ASH) are hospital admissions for conditions that could potentially be managed or prevented through primary care interventions. This is considered a partial measure of the effectiveness of the primary and secondary healthcare system interface, it is often used as a proxy for access to and the quality of primary care.

Children aged 0-4 years & adults aged 45-64 years

Figure 7: Standardised ASH rate per 1,000 pop by ethnicity, 12 months to June 2024



Children

- Standardised rates for Māori and Pacific children in Taranaki were lower than national level results.
- The top eight ASH conditions for those aged 00-04 years were:
- 1. Asthma
- 2. Upper and ENT respiratory infections
- 3. Gastroenteritis / dehydration
- 4. Dental conditions
- 5. Lower respiratory infections
- 6. Pneumonia
- 7. Constipation
- 8. Cellulitis

Adults

- Standardised rates for adults were lower or similar to the national level results (in that year).
- The top eight ASH conditions for those aged 45-64 years were:
- 1. Angina and chest pain
- 2. Cellulitis
- 3. Myocardial infarction
- 4. Gastroenteritis / dehydration
- 5. Nutrition deficiency and anaemia
- 6. COPD
- 7. Kidney / urinary infection
- 8. Pneumonia

Data note: ASH data presented here are from Te Whatu Ora and available on their website. The rate is calculated by dividing the number of ASH events by the number of people in the PHO enrolled population. This is calculated quarterly with a rolling 12-month data period. The rates presented are age-standardised at the PHO level to the Statistics NZ standard population.

Future population and medical service use

We have taken the projected 2023-2043 percentage change in the resident population (by ethnicity and age) and applied it to the 2023 enrolled population. Figure 9 applies the population change to the pattern of medical consults in 2023 by age and ethnicity.



Points A-E explained over page





Figure 9: Projected difference in medical consults in 2043 (from 2023 base)



Summary points for Pinnacle

[Points A-E on Figure 8 and corresponding Figure 9]

Pinnacle's enrolled Taranaki population differs from the 2023 ERP (compare Figure 1 and Figure 4). The network has lower proportions of Māori, and a higher proportion of Other people (for Asian and Pacific People it is very similar).

In 2043, if medical consults are accessed the same as they were in 2023, there are some significant changes to be preparing for. Five summary points are chosen here.

A

Numerical increase overall, but a complex picture underneath

Overall, we are projecting then network will need to provide an additional 37,000 medical consults in 2043, should the scenario of Pinnacle's enrolled population growing at the medium series rate, and service use by ethnicity and age hold true over time. However, as shown, growth and decline in both numbers of people enrolled and the number of medical consults are not uniformly spread.

B

More older people needing care - the key driver for increased consultations

65-84 years: There are considerable increases in medical consults projected for Māori (+9k from 2023) and Other people (+18k) in 2043. These people are currently aged 45-64 years. The youngest baby boomers will be in this age group in 2043, at around 79 years of age (born in 1964).

85+ years: This 'older old' age group are historically the highest users of health services. In 2043 there could be an additional 15k medical consults across all ethnic groups. The main drivers of this are the ageing Other (predominately Pākehā) population moving through the life cycle. The oldest baby boomers, if still alive, will now be in their late 90's.

C

Middle aged people (45-64 years) - projected decline for Others but growth elsewhere

Projected increases for Māori, less so for Asian and Pacific people. Projected fewer Others aged 45-64 years (-5k). The projected decline in numerical consults for Other people is offset by projected increases for all other ethnic groups. The overall increase is 3k consults. These people were mostly in the 25-44 year group in 2023.

D

Young people (5-14 years and 15-24 years)

Projected to be more Māori and Asian people enrolled aged between 5-24 years (+3k). This will be offset by fewer Others. It is important to remember that these projections are for medical consults only - there are key lifecycle health care alongside this that will still need to be delivered. There are projected increases in consults for Asian and Māori (+4k) from 2023 levels, with a decline for Others (-11k).



The very first years of life (0-4 years)

These children will be born around 2039-2043. The overall projected decline is driven by fewer Other children. There are however, within this smaller increases for Asian and Māori. Note that immunisation work is not included in this category.

Rural residents: Taranaki enrolled in 2023/24

Rural residents enrolled

To look at service use averages we included those people who had been enrolled in the network for all four quarters. People without a coded address were excluded (1.5% of the total network).


Table 3: Enrolled people, by age and rurality

	Urban 1	Urban 2	Rural 1	Rural 2	Rural 3
00-04	24	3,992	911	635	3
05-14	48	10,859	2,599	1,848	12
15-24	368	8,653	1,986	1,394	18
25-44	223	18,836	3,988	3,077	26
45-64	96	20,247	5,075	3,257	56
65-84	32	15,232	3,250	2,144	17
85+	3	2,190	344	180	1
Total	794	80,009	18,153	12,535	133

Key Points

- Overall, 27.6% of people enrolled in the Pinnacle network lived rurally.
- Most rural residents lived in R1 areas, using the geographical classification of health (59% of all rural).
- Few people lived in the most remote areas (Rural3).
- The proportion of people by age group living in each rural or urban category are shown in Figure 11.

Figure 11: Proportion by age group and rurality



Average service use - by residence category

The previous section established the rural or urban residence of enrolled people. Here we look at medical consult service use in the 2023/24 year.

Figure 12: Annual average use of medical consults, by residence and age





Figure 13: Annual average use of medical consults, by aggregated residence and age



Key Points

- There is a pattern of higher medical service use by the very young and the oldest (65+ years). This is perhaps no surprise.
- While the overall pattern is similar, there is difference in the actual annual average figures by each age group and where they live.
- **Urban vs Rural:** At the total level, rural people used on average 2.5 medical consults, compared to 2.7 for urban people.
- Those aged **00-04 years**: Average use across all residence categories was similar in this year (excluding the smaller number in the Urban 1 category).
- Those aged **85+ years**: Again, similar annual average use, with those in Rural 2 areas with fewer medical consults in that year.