Abdominal pain Patients with abdominal pain, who are haemodynamically stable and can be safely managed in the community V Medication \$89.61 Package of care Cannot be claimed with any other invoice on the same day. Includes consult time and any consumables IV rehydration only in adults, oral rehydration only in children. Cannot be claimed with any other invoice on the same day. Includes consult \$162.74 Package of care Rehydration time and any consumables GP/NP/CP Follow-up Consult \$81.37 One only Follow up consultation for management post ultrasound result RN Follow-up consult \$40.17 bdominal Ultrasound to support management and avoid acute admission

Acute ECG

Treatment of patients with low risk undifferentiated chest pain (within 5 days of presentation) where the diagnosis is unclear, but the patient would otherwise be sent acutely to hospital for ECG.

(
ECG	\$64.89	Package of care	Includes consult time and any consumables		
GP/NP/CP Follow-up Consult	\$81.37	One only	Follow up consultation for management post ECG		
RN Follow-up consult	\$40.17				

Asthma

Patients with moderate asthma exacerbation that can be safely managed in the community

		, ,				
	Practice observations	φ4. 00 (·······	03/min Maximum 2 hours Practice observations can only be claimed at the time of the initial consult. POAC funding cannot be utilised triage and the initial GP/NP consultation	Practice observations can only be claimed at the time of the initial consult. POAC funding cannot be utilised for care provided between		
		\$1.03/11111		triage and the initial GP/NP consultation		
	GP/NP/CP Follow-up Consult	\$81.37	One only	Limited to one consult within the acute episode of care		
	RN Follow-up consult	\$40.17	Offic officy	Limited to one consult within the acute episode of care		

Cellulitis - Standard

Oral antibiotic treatment for patients aged 15 years and older with moderate cellulitis. ACC cellulitis cases are not funded under this pathway

* the first two visit are unfunded. All visits must be an in-person visit.

Standard Cellulitis \$109.25 Maximum 5 visits Maximum of 5 visits within 7 days of initial appointment for oral antibiotic management of cellulitis.

Cellulitis - High Risk

Oral antibiotic treatment for patients aged 15 years and older with moderate cellulitis. ACC cellulitis cases are not funded under this pathway. Please include the patient's high risk eligibility within your claim.

High Risk patients criteria: •Symptomatic peripheral vascular disease

•Symptomatic or clinically overt venous insufficiency

•Obesity BMI>40

•Recurrent cellulitis(2 or more episodes within 12 months) •CSC holders

L	(= = = = = = = = = = = = = = = = = = =			
	High Risk Cellulitis RN	\$44.85	One only	First followup within 72 hours of initial appointment. Can be in-person or virtual
	High Risk Cellulitis GP/NP	\$109.25	Maximum 5 visits	After a funded RN first followup, within 7 days of the initial appointment. Must be in-person.

Congestive heart failure - exacerbation

Adults with acute heart failure that can be safely managed in the community

Addits with acute heart failure that can be safety managed in the community				
IV Medication	\$89.61	Package of care	Cannot be claimed with any other invoice on the same day. Includes consult time and any consumables	
GP/NP/CP Extended consult	\$81.37	Maximum 2	At the time of acute presentation to a maximum of 30 minutes	
GP/NP/CP Follow-up Consult	\$81.37	One only	Limited to one consult within the acute episode of care	
RN Follow-up consult	\$40.17	\$40.17 One only		

CXR to rule out pneumonia/pneumothorax

COPD

Patients with an acute or sub-acute COPD exacerbation that can be safely managed in the community

, 0				
GP/NP/CP Extended consult	\$81.37	Maximum 2	At the time of acute presentation to a maximum of 30 minutes	
GP/NP/CP Follow-up Consult	\$81.37	One only	Follow up cancultation for management pact CVD regult	
RN Follow-up consult	\$40.17	Offic officy	Follow up consultation for management post CXR result	
CXR to support management and avoid acute admission				

on to support management and avoid acute daminosit

DVT

Suspected DVT with a Wells Score of >= 2 or a positive D-dimer: Superficial venous thrombosis: Management of a pregnant women with a clinical suspicion of DVT must be discussed immediately with relevant hospital specialist (and documented)

GP/NP/CP Follow-up Consult	\$81.37	One only	Follow up consultation following ultrasound
DVT Prophylactic Enoxaparin	\$81.37		Administration of enoxaparin where oral treatment is unsuitable
Ultrasound			

Additional information

Packages of care

Cannot be claimed with any other invoice on the same day. They include allocation for staff time as well as consumables

Practice observations

Based on treatment provided as evidenced in clinical notes. This can be claimed provided no IV administration invoices are claimed. This invoice can only be claimed at the time of the initial consultation.

In-clinic observations can be claimed based on 3 \times 10-minute baseline observations per hour. Practice observations can only be claimed at the time of the initial consult.

GP/NP/CP extended consultation

To cover an additional 15 minutes of GP/NP/CP time beyond the initial consultation. This invoice can be claimed twice per episode of care to fund a maximum of 30 minutes of additional time. This invoice can only be claimed at the time of the initial consultation.

GP/NP/CP follow up

RN follow up

A follow-up visit may be funded (based on treatment provided as evidenced in clinical notes). This is limited to one consult within the acute episode of care. While follow up consultations can be virtual, to be eligible for funding, documentation needs to include a two-way conversation between the practice and the patient. A sent message with no documented response does not meet the definition of a consultation.

For further info please see the website: www.pinnaclepractices.co.nz/programmes

*NB. This resource is a 'snapshot' view of what is claimable for each service under POAC. Please familiarise yourself with the business rules as well as the eligibility criteria and exclusions for each service, which can be found on the website.

Primary Options Contact Details

Email: Infoprimaryoptions@pinnacle.health.nz

Mobile: 027 687 7312

DVT (ACC) ACC related: Suspected DVT with a Wells Score of >= 2 or a positive D-dimer : Superficial venous thrombosis : Management of a pregnant women with a clinical suspicion of DVT must be discussed immediately with relevant hospital specialist (and documented) \$50.47 One only ACC GP/NP/CP Follow-up Consult Follow up consultation following ultrasound ACC DVT Prophylactic Enoxaparin \$40.17 Administration of enoxaparin where oral treatment is unsuitable **Jltrasound** Dehydration Adults with moderate dehydration not responsive to oral fluids +/- antiemetic who can be safely managed in the community Children aged between 6 months and 15 years with moderate dehydration or at risk of getting severely dehydrated, who can be managed safely in the community IV rehydration only in adults, oral rehydration only in children Cannot be claimed with any other invoice on the same day. Includes consult Rehydration \$162.74 Package of care time and any consumables **ED Redirect** This service is designed to ensure low acuity presentations to ED are actively redirected back to primary care. ED will not redirect a patient unless the receiving practice has accepted them ED redirect GP/NP consultation \$91.67 Initial consultation for a redirected patient. ED redirect GP/NP consultation \$103.00 One only Initial consultation for a redirected patient after 6pm on a weekday, on weekends or public holidays. after hours ED redirect sundries Variable This requires an itemised list of any extra charges incurred by the patient **ENT**

ENT conditions that can be acutely and safely managed in the community, such as epistaxis

Practice observations	Φ1 00 /min	Mayimum 2 haura	Practice observations can only be claimed at the time of the initial consult. POAC funding cannot be utilised for care provided between	
	\$1.03/11111	Maximum 3 hours	riage and the initial GP/NP consultation	
GP/NP/CP Extended consult	\$81.37	Maximum 2	At the time of acute presentation to a maximum of 30 minutes	
GP/NP/CP Follow-up Consult	\$81.37	81.37 40.17 One only	Limited to one consult within the acute episode of care	
RN Follow-up consult	\$40.17			

ever unknown origin - children

Children presenting with a rever (>38 C), with moderate/amber symptoms or signs that can be safety managed in the community					
Dractice checauctions	Φ4. 00 /····	Maximum 2 haura	Practice observations can only be claimed at the time of the initial consult. POAC funding cannot be utilised for care provided between		
Practice observations	φ1.03/IIIII	Maximum 3 hours	triage and the initial GP/NP consultation		
GP/NP/CP Extended consult	\$81.37	Maximum 2	At the time of acute presentation to a maximum of 30 minutes		
GP/NP/CP Follow-up Consult	\$81.37	One only	Limited to one consult within the acute episode of care		
RN Follow-up consult	\$40.17	Offic officy	Limited to one consult within the acute episode of care		

Ingested foreign body

ngested metal foreign body in children – with no red flags i.e. if object is a disc battery, sharp object, Object >5cm, multiple magnets GP/NP/CP Extended consult \$81.37 Maximum 2 At the time of acute presentation to a maximum of 30 minutes

IV Adenosine in the management of SVT

Patients with rapid palpitations and a systolic BP >100, where an ECG performed shows a regular narrow complex (QRS<= 120msec) tachycardia in whom vagal manoeuvres have been unsuccessful \$113.30 Package of care Cannot be claimed with any other invoice on the same day. Includes consult time and any consumables IV Adenosine

Musculoskeletal

Adults for suspicion of pathological fracture where there is no history of injury : Children aged 8-16 years for suspicion of SUFE

GP/NP/CP Follow-up Consult \$81.37 One only Limited to one consult within the acute episode of care

Hip X ray: for suspicion of SUFE

ray: for suspicion of pathological fracture where there is no history of injury

Neurology

Patients with acute neurological conditions that can be managed safety in primary care e.g. migraine					
GP/NP/CP Extended consult	V/NP/CP Extended consult \$81.37 Maximum 2		At the time of acute presentation to a maximum of 30 minutes		
Rehydration	¢162.74	Package of care	IV rehydration only in adults, oral rehydration only in children Cannot be claimed with any other invoice on the same day. Includes consult		
	Ψ102.74	i ackage of care	time and any consumables		
IV Medication	\$89.61	Package of care	Cannot be claimed with any other invoice on the same day. Includes consult time and any consumables		

Urgent diagnostics can be accessed and co-ordinated by general practice or urgent care clinics without contacting the Primary Options team. Bookings can be made by the practice or the patient.

Patients can arrange their own radiological investigation provided they have the required documentation with them, which includes the referral from the practice and the primary options claim number. This is dependent on the investigation being one of those listed above.

Any investigations not listed will not be funded, irrespective of whether the practice has provided the patient with a claim number.

Patients who are not acutely unwell and do not require a same day diagnostic test are not funded under POAC and should be referred to primary referred radiology. Radiology is only funded for same-day investigations, with the exception of ultrasounds through the DVT pathway which can be the next day with enoxaparin coverage.

GP provided point of care ultrasound is excluded from POAC services – it is expected that patients will be charged for this service.

There are a number of radiology providers contracted under Primary Options for Acute Care (POAC). Further details can be found on the website.

The following X-rays and ultrasounds are funded in the the below circumstances only.

- -Pelvic ultrasound: for suspicion of ruptured ovarian cyst or retained products of conception in patients not eligible for maternity funding (i.e. is more than 14 days post termination of pregnancy/miscarriage or more than six weeks post vaginal delivery).
- -Abdominal ultrasound: to support management and avoid acute admission
- -Renal ultrasound: for suspicion of renal colic/stones
- -Ultrasounds under the DVT pathway.
- -Chest X ray: for the investigation of Pneumonia
- -X-ray AP Pelvis and lateral of the hip: for suspicion of SUFE for children aged 8-16 years.
- -X-ray: for suspicion of pathological fracture where there is no history of injury

Pneumonia

Adults with suspected pneumonia that can be managed safely in primary care – moderate pneumonia (CRB65 score 1 or 2 – see below) with no other co-morbidities: Children with pneumonia that can be safely

managed in the community

GP/NP/CP Follow-up Consult \$81.37 RN Follow-up consult \$40.17

Follow up consultation for management post CXR result

CXR to support management and avoid acute admission

Renal/Urological

Patients with acute urological problems who can be managed safely in primary care e.g.

- •Acute indwelling catheter insertion for patient in acute urinary retention in the absence of red flags i.e. acute trauma straddle injury/fractured pelvis, perineal haematoma
- •Blocked catheter, which cannot be unblocked by flushing
- Incomplicated pyelonephritis
- •Benal colic with no red flags i.e. AAA, temperature >38, pyelonephritis, peritonitis, biliary colic, testicular torsion, ovarian torsion, ectopic pregnancy

Acute catheter insertion	\$151.41	Package of care	Cannot be claimed with any other invoice on the same day. Includes consult time and any consumables
IV Medication	\$89.61	Package of care	Cannot be claimed with any other invoice on the same day. Includes consult time and any consumables
Rehydration	\$162.74	Package of care	IV rehydration only in adults, oral rehydration only in children Cannot be claimed with any other invoice on the same day. Includes consult
			time and any consumables
GP/NP/CP Follow-up Consult	\$81.37	One only	Follow up consultation for management post ultrasound result
RN Follow-up consult	\$40.17	One only	Follow up consultation for management post utilasound result

Renal ultrasound: to support management and avoid acute admission where CT is not available or appropriate

Severe allergic reaction

Patients with a severe allergic reaction, who have not had anaphylaxis, are haemodynamically stable and can be safely managed in the community: Moderate allergic reaction requiring observation in general practice.

Practice observations	¢1 00/min	Maximum 4 haura	Practice observations can only be claimed at the time of the initial consult. POAC funding cannot be utilised for care provided between triage and the initial GP/NP consultation At the time of acute presentation to a maximum of 30 minutes	
	\$1.03/11111	Maximum 4 hours		
GP/NP/CP Extended consult	\$81.37	Maximum 2	At the time of acute presentation to a maximum of 30 minutes	
GP/NP/CP Follow-up Consult	\$81.37	One only	Limited to any consult within the soute enicode of care	
RN Follow-up consult	\$40.17	One only	Limited to one consult within the acute episode of care	

Women's Health

Patients who are haemodynamically stable with pelvic pain and can be safely managed in the community.

Fatients who are naemodynamically stable with petvic pain and can be safety managed in the community.				
IV Medication	\$89.61	Package of care	Cannot be claimed with any other invoice on the same day. Includes consult time and any consumables	
Practice observations	¢1 00/min	IMaximum 3 nours - I	Practice observations can only be claimed at the time of the initial consult. POAC funding cannot be utilised for care provided between	
	φ1.03/11111		triage and the initial GP/NP consultation	
GP/NP/CP Extended consult	\$81.37	Maximum 2	At the time of acute presentation to a maximum of 30 minutes	
GP/NP/CP Follow-up Consult	\$81.37	One only	imited to one consult within the acute episode of care	
RN Follow-up consult	\$40.17	one only		
Pelvic ultrasound: for suspicion of runtured ovarian cyst or for suspicion of retained products of conception in patients not eligible for maternity funding (i.e. is more than 14 days post termination of				

Pelvic ultrasound: for suspicion of ruptured ovarian cyst or for suspicion of retained products of conception in patients not eligible for maternity funding (i.e. is more than 14 days post termination of pregnancy/miscarriage or more than six weeks post vaginal delivery).

In all categories where extended consultations a	nd follow up	consultations	s can be claimed, rural practices can claim the following

Rural GP/NP/CP Extended consultation	\$91.67 Maximι	um 2 /	At the time of acute presentation to a maximum of 30 minutes
Rural GP/NP/CP Follow up consult	\$91.67 One on	J.,	Limited to one consult within the acute episode of care
Rural RN Follow up consult	\$50.47	ıty [L	

e e e e e e e e e e e e e e e e e e e	, ,		
After hours GP/NP/CP Extended consultation	\$101.97 Maxii	kimum 2	At the time of acute presentation to a maximum of 30 minutes
After hours GP/NP/CP Follow up consult	\$101.97	One only L	Limited to one consult within the acute episode of care
After hours RN Follow up consult	\$60.77		

Version: Dec 2025