

| Acute declined referral                                                                                                                                                                                                   |          |          |                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|-------------------------------------------------------------------|
| Funding to support the utilisation of a GP/SMO management plan where an acute admission has been considered by a GP, and after discussion with the relevant SMO, a management plan to avoid admission has been instigated |          |          |                                                                   |
| GP/NP/CP Extended consult                                                                                                                                                                                                 | \$81.37  | One only | At the time of acute presentation                                 |
| Acute Declined Follow Up Consult                                                                                                                                                                                          | \$129.78 | Two only | Follow up consultation to implement and evaluate the plan of care |

| Abdominal pain                                                                                           |          |                 |                                                                                                                                                                       |
|----------------------------------------------------------------------------------------------------------|----------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Patients with abdominal pain, who are haemodynamically stable and can be safely managed in the community |          |                 |                                                                                                                                                                       |
| IV Medication                                                                                            | \$89.61  | Package of care | Cannot be claimed with any other invoice on the same day. Includes consult time and any consumables                                                                   |
| Rehydration                                                                                              | \$162.74 | Package of care | IV rehydration only in adults, oral rehydration only in children. Cannot be claimed with any other invoice on the same day. Includes consult time and any consumables |
| GP/NP/CP Follow-up Consult                                                                               | \$81.37  | One only        | Follow up consultation for management post ultrasound result                                                                                                          |
| RN Follow-up consult                                                                                     | \$40.17  |                 |                                                                                                                                                                       |
| Abdominal Ultrasound to support management and avoid acute admission                                     |          |                 |                                                                                                                                                                       |

| Acute ECG                                                                                                                                                                                            |         |                 |                                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-----------------|------------------------------------------------|
| Treatment of patients with low risk undifferentiated chest pain (within 5 days of presentation) where the diagnosis is unclear, but the patient would otherwise be sent acutely to hospital for ECG. |         |                 |                                                |
| ECG                                                                                                                                                                                                  | \$64.89 | Package of care | Includes consult time and any consumables      |
| GP/NP/CP Follow-up Consult                                                                                                                                                                           | \$81.37 | One only        | Follow up consultation for management post ECG |
| RN Follow-up consult                                                                                                                                                                                 | \$40.17 |                 |                                                |

| Asthma                                                                                 |          |                 |                                                                              |
|----------------------------------------------------------------------------------------|----------|-----------------|------------------------------------------------------------------------------|
| Patients with moderate asthma exacerbation that can be safely managed in the community |          |                 |                                                                              |
| Practice observations                                                                  | \$1 /min | Maximum 2 hours | Practice observations can only be claimed at the time of the initial consult |
| GP/NP/CP Follow-up Consult                                                             | \$81.37  | One only        | Limited to one consult within the acute episode of care                      |
| RN Follow-up consult                                                                   | \$40.17  |                 |                                                                              |

| Cellulitis - Standard                                                                                                                           |          |                  |                                                                                                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------|--------------------------------------------------------------------------------------------------------|
| Oral antibiotic treatment for patients aged 15 years and older with moderate cellulitis. ACC cellulitis cases are not funded under this pathway |          |                  |                                                                                                        |
| * the first two visit are unfunded. All visits must be an in-person visit.                                                                      |          |                  |                                                                                                        |
| Standard Cellulitis                                                                                                                             | \$109.25 | Maximum 5 visits | Maximum of 5 visits within 7 days of initial appointment for oral antibiotic management of cellulitis. |

| Cellulitis - High Risk                                                                                                                                                                                                 |          |                  |                                                                                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------|------------------------------------------------------------------------------------------------|
| Oral antibiotic treatment for patients aged 15 years and older with moderate cellulitis. ACC cellulitis cases are not funded under this pathway. Please include the patient's high risk eligibility within your claim. |          |                  |                                                                                                |
| High Risk patients criteria: •Symptomatic peripheral vascular disease                                                                                                                                                  |          |                  |                                                                                                |
| •Symptomatic or clinically overt venous insufficiency                                                                                                                                                                  |          |                  |                                                                                                |
| •Obesity BMI>40                                                                                                                                                                                                        |          |                  |                                                                                                |
| •Recurrent cellulitis( 2 or more episodes within 12 months)                                                                                                                                                            |          |                  |                                                                                                |
| •CSC holders                                                                                                                                                                                                           |          |                  |                                                                                                |
| High Risk Cellulitis RN                                                                                                                                                                                                | \$44.85  | One only         | First followup within 72 hours of initial appointment. Can be in-person or virtual             |
| High Risk Cellulitis GP/NP                                                                                                                                                                                             | \$109.25 | Maximum 5 visits | After a funded RN first followup, within 7 days of the initial appointment. Must be in-person. |

| COPD                                                                                              |         |           |                                                              |
|---------------------------------------------------------------------------------------------------|---------|-----------|--------------------------------------------------------------|
| Patients with an acute or sub-acute COPD exacerbation that can be safely managed in the community |         |           |                                                              |
| GP/NP/CP Extended consult                                                                         | \$81.37 | Maximum 2 | At the time of acute presentation to a maximum of 30 minutes |
| GP/NP/CP Follow-up Consult                                                                        | \$81.37 | One only  | Follow up consultation for management post CXR result        |
| RN Follow-up consult                                                                              | \$40.17 |           |                                                              |
| CXR to support management and avoid acute admission                                               |         |           |                                                              |

| Croup                                                                                             |            |                 |                                                                              |
|---------------------------------------------------------------------------------------------------|------------|-----------------|------------------------------------------------------------------------------|
| Treatment of children under 5 years with acute croup that can be safely managed in the community. |            |                 |                                                                              |
| Practice observations                                                                             | \$1.03/min | Maximum 2 hours | Practice observations can only be claimed at the time of the initial consult |

**Additional information**

**Packages of care**

Cannot be claimed with any other invoice on the same day.  
They include allocation for staff time as well as consumables

**Practice observations**

Based on treatment provided as evidenced in clinical notes.  
This can be claimed provided no IV administration invoices are claimed. This invoice can only be claimed at the time of the initial consultation.  
In-clinic observations can be claimed based on 3 x 10-minute baseline observations per hour. Practice observations can only be claimed at the time of the initial consult.

**GP/NP/CP extended consultation**

To cover an additional 15 minutes of GP/NP/CP time beyond the initial consultation. This invoice can be claimed twice per episode of care to fund a maximum of 30 minutes of additional time. This invoice can only be claimed at the time of the initial consultation.

**GP/NP/CP follow up**

**RN follow up**

A follow-up visit may be funded (based on treatment provided as evidenced in clinical notes). This is limited to one consult within the acute episode of care. While follow up consultations can be virtual, to be eligible for funding, documentation needs to include a two-way conversation between the practice and the patient. A sent message with no documented response does not meet the definition of a consultation.

**For further info please see the website:**  
**[www.pinnaclepractices.co.nz/programmes](http://www.pinnaclepractices.co.nz/programmes)**

*\*NB. This resource is a 'snapshot' view of what is claimable for each service under POAC. Please familiarise yourself with the business rules as well as the eligibility criteria and exclusions for each service, which can be found on the website.*

**Primary Options Contact Details**

Email: [Infoprimaryoptions@pinnacle.health.nz](mailto:Infoprimaryoptions@pinnacle.health.nz)  
Mobile: 027 687 7312

| DVT                                                                                                                                                                                                                                               |         |          |                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------|-----------------------------------------------------------------|
| Suspected DVT with a Wells Score of >= 2 or a positive D-dimer : Superficial venous thrombosis : Management of a pregnant women with a clinical suspicion of DVT must be discussed immediately with relevant hospital specialist (and documented) |         |          |                                                                 |
| GP/NP/CP Follow-up Consult                                                                                                                                                                                                                        | \$81.37 | One only | Follow up consultation following ultrasound                     |
| DVT Prophylactic Enoxaparin                                                                                                                                                                                                                       | \$81.37 |          | Administration of enoxaparin where oral treatment is unsuitable |
| Ultrasound                                                                                                                                                                                                                                        |         |          |                                                                 |

| DVT (ACC)                                                                                                                                                                                                                                                      |         |          |                                                                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------|-----------------------------------------------------------------|
| ACC related: Suspected DVT with a Wells Score of >= 2 or a positive D-dimer : Superficial venous thrombosis : Management of a pregnant women with a clinical suspicion of DVT must be discussed immediately with relevant hospital specialist (and documented) |         |          |                                                                 |
| ACC GP/NP/CP Follow-up Consult                                                                                                                                                                                                                                 | \$49.00 | One only | Follow up consultation following ultrasound                     |
| ACC DVT Prophylactic Enoxaparin                                                                                                                                                                                                                                | \$40.17 |          | Administration of enoxaparin where oral treatment is unsuitable |
| Ultrasound                                                                                                                                                                                                                                                     |         |          |                                                                 |

| Dehydration                                                                                                                                                                                                                                                                            |          |                 |                                                                                                                                                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Adults with moderate dehydration not responsive to oral fluids +/- antiemetic who can be safely managed in the community<br>Children aged between 6 months and 15 years with moderate dehydration or at risk of getting severely dehydrated,who can be managed safely in the community |          |                 |                                                                                                                                                                      |
| Rehydration                                                                                                                                                                                                                                                                            | \$162.74 | Package of care | IV rehydration only in adults, oral rehydration only in children Cannot be claimed with any other invoice on the same day. Includes consult time and any consumables |

| Epistaxis                                                                                 |             |                 |                                                                              |
|-------------------------------------------------------------------------------------------|-------------|-----------------|------------------------------------------------------------------------------|
| ENT conditions that can be acutely and safely managed in the community, such as epistaxis |             |                 |                                                                              |
| Practice observations                                                                     | \$1.03 /min | Maximum 3 hours | Practice observations can only be claimed at the time of the initial consult |

| Fever unknown origin - children                                                                                             |             |                 |                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------|-------------|-----------------|------------------------------------------------------------------------------|
| Children presenting with a fever (>38 C), with moderate/amber symptoms or signs that can be safely managed in the community |             |                 |                                                                              |
| Practice observations                                                                                                       | \$1.03 /min | Maximum 3 hours | Practice observations can only be claimed at the time of the initial consult |

| Frailty admission aviodence                                                                                                                                                                                                                                                                                |          |          |                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|--------------------------------------------------------------|
| Funding for patients 65 years and over having an acute event, causing a borderline level of function with a reduction in personal activities of daily living or extended activities of daily living, meaning it is not safe to send them home. A referral to START is required for patient to be eligible. |          |          |                                                              |
| GP/NP Extended consult                                                                                                                                                                                                                                                                                     | \$81.37  | One only | At the time of acute presentation to a maximum of 30 minutes |
| Frailty admission avoidance follow up                                                                                                                                                                                                                                                                      | \$129.78 |          | Follow up consultation following arrangement of care plan    |

| IV Adenosine in the management of SVT                                                                                                                                                      |          |                 |                                                                                                     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------|-----------------------------------------------------------------------------------------------------|
| Patients with rapid palpitations and a systolic BP >100, where an ECG performed shows a regular narrow complex (QRS<= 120msec) tachycardia in whom vagal manoeuvres have been unsuccessful |          |                 |                                                                                                     |
| IV Adenosine                                                                                                                                                                               | \$113.30 | Package of care | Cannot be claimed with any other invoice on the same day. Includes consult time and any consumables |

| Pneumonia                                                                                                                                                                                                                           |         |          |                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------|-------------------------------------------------------|
| Adults with suspected pneumonia that can be managed safely in primary care – moderate pneumonia (CRB65 score 1 or 2 – see below) with no other co-morbidities : Children with pneumonia that can be safely managed in the community |         |          |                                                       |
| GP/NP/CP Follow-up Consult                                                                                                                                                                                                          | \$81.37 | One only | Follow up consultation for management post CXR result |
| RN Follow-up consult                                                                                                                                                                                                                | \$40.17 |          |                                                       |
| CXR to support management and avoid acute admission                                                                                                                                                                                 |         |          |                                                       |

### Radiology

Urgent diagnostics can be accessed and co-ordinated by general practice or urgent care clinics without contacting the Primary Options team. Bookings can be made by the practice or the patient.

Patients can arrange their own radiological investigation provided they have the required documentation with them, which includes the referral from the practice and the primary options claim number. This is dependent on the investigation being one of those listed above.

**Any investigations not listed will not be funded, irrespective of whether the practice has provided the patient with a claim number.**

Patients who are not acutely unwell and do not require a same day diagnostic test are not funded under POAC and should be referred to primary referred radiology. Radiology is only funded for same-day investigations, with the exception of ultrasounds through the DVT pathway which can be the next day with enoxaparin coverage.

GP provided point of care ultrasound is excluded from POAC services – it is expected that patients will be charged for this service.

TWO Waikato has contracts with a number of radiology providers under Primary Options for Acute Care (POAC). Further details can be found on the website.

**-Pelvic ultrasound:** for suspicion of retained products of conception in patients not eligible for maternity funding (i.e. is more than 14 days post termination of pregnancy/miscarriage or more than six weeks post vaginal delivery).

**-Abdominal ultrasound:** to support management and avoid acute admission

**-Renal ultrasound:** for suspicion of renal colic/stones in pregnant women and women under 35 years.

**-Ultrasounds under the DVT pathway.**

**-Chest X ray:** for the investigation of Pneumonia

**-X-ray AP Pelvis and lateral of the hip:** for suspicion of SUFE for children aged 8-16 years.

| Renal/Urological                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |                 |                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Patients with acute urological problems who can be managed safely in primary care e.g.                                                                                                                                                                                                                                                                                                                                                                                                                          |          |                 |                                                                                                                                                                      |
| <ul style="list-style-type: none"><li>•Acute indwelling catheter insertion for patient in acute urinary retention in the absence of red flags i.e. acute trauma – straddle injury/fractured pelvis, perineal haematoma</li><li>•Blocked catheter, which cannot be unblocked by flushing</li><li>•Uncomplicated pyelonephritis</li><li>•Renal colic with no red flags i.e. AAA, temperature &gt;38, pyelonephritis, peritonitis, biliary colic, testicular torsion, ovarian torsion, ectopic pregnancy</li></ul> |          |                 |                                                                                                                                                                      |
| Acute catheter insertion                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | \$151.41 | Package of care | Cannot be claimed with any other invoice on the same day. Includes consult time and any consumables                                                                  |
| IV Medication                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | \$89.61  | Package of care | Cannot be claimed with any other invoice on the same day. Includes consult time and any consumables                                                                  |
| Rehydration                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$162.74 | Package of care | IV rehydration only in adults, oral rehydration only in children Cannot be claimed with any other invoice on the same day. Includes consult time and any consumables |
| GP/NP/CP Follow-up Consult                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | \$81.37  | One only        | Follow up consultation for management post ultrasound result                                                                                                         |
| RN Follow-up consult                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | \$40.17  |                 |                                                                                                                                                                      |
| Renal ultrasound: where CT is not available or appropriate                                                                                                                                                                                                                                                                                                                                                                                                                                                      |          |                 |                                                                                                                                                                      |

| SUFE                                           |         |          |                                                                           |
|------------------------------------------------|---------|----------|---------------------------------------------------------------------------|
| Children aged 8-16 years for suspicion of SUFE |         |          |                                                                           |
| GP/NP Follow-up Consult                        | \$81.37 | One only | Follow up consultation with patient post radiological investigations only |
| Hip X ray: for suspicion of SUFE.              |         |          |                                                                           |

| St John Redirect                                                                                                                                                                                                                                                                                              |         |          |                                              |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------|----------------------------------------------|
| This service provides the opportunity, where clinically appropriate, for St John to seek general practice intervention and avoid unnecessary emergency department utilisation. St John will provide a voucher for patient to present at the practice. The voucher number needs to be included with the claim. |         |          |                                              |
| St John Redirect GP consult                                                                                                                                                                                                                                                                                   | \$81.37 | One only | To cover the initial consultation co-payment |

| Severe allergic reaction                                                                                                                                                                                              |            |                 |                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------|------------------------------------------------------------------------------|
| Patients with a severe allergic reaction, who have not had anaphylaxis, are haemodynamically stable and can be safely managed in the community: Moderate allergic reaction requiring observation in general practice. |            |                 |                                                                              |
| Practice observations                                                                                                                                                                                                 | \$1.03/min | Maximum 4 hours | Practice observations can only be claimed at the time of the initial consult |

| Women’s Health                                                                                                                                                                                                                         |         |          |                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------|--------------------------------------------------------------|
| Patients who are haemodynamically stable with pelvic pain and can be safely managed in the community.                                                                                                                                  |         |          |                                                              |
| GP/NP/CP Follow-up Consult                                                                                                                                                                                                             | \$81.37 | One only | Follow up consultation for management post ultrasound result |
| Pelvic ultrasound: for suspicion of retained products of conception in patients not eligible for maternity funding (i.e. is more than 14 days post termination of pregnancy/miscarriage or more than six weeks post vaginal delivery). |         |          |                                                              |

| In all categories where extended consultations and follow up consultations can be claimed, rural practices can claim the following |         |           |                                                              |
|------------------------------------------------------------------------------------------------------------------------------------|---------|-----------|--------------------------------------------------------------|
| Rural GP/NP/CP Extended consultation                                                                                               | \$91.67 | Maximum 2 | At the time of acute presentation to a maximum of 30 minutes |
| Rural GP/NP/CP Follow up consult                                                                                                   | \$91.67 | One only  | Limited to one consult within the acute episode of care      |
| Rural RN Follow up consult                                                                                                         | \$50.47 |           |                                                              |

| In all categories where extended consultations and follow up consultations can be claimed, the following can be claimed when the care is provided after 6pm, on weekends or on public holidays. |          |           |                                                              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|--------------------------------------------------------------|
| After hours GP/NP/CP Extended consultation                                                                                                                                                      | \$101.97 | Maximum 2 | At the time of acute presentation to a maximum of 30 minutes |
| After hours GP/NP/CP Follow up consult                                                                                                                                                          | \$101.97 | One only  | Limited to one consult within the acute episode of care      |
| After hours RN Follow up consult                                                                                                                                                                | \$60.77  |           |                                                              |

**\*\*THE PATIENT IS RESPONSIBLE FOR FUNDING THE INITIAL CONSULTATION TIME OF THEIR ACUTE PRESENTATION**

For further info please see the website: [www.pinnaclepractices.co.nz/programmes](http://www.pinnaclepractices.co.nz/programmes)